PWSCode	PWSName	FacilityName	SampleID	CollectionDate	MethodCode	Analyte	ResultMeasure	MinimumReportingLevel
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	2402A35-005A	2/13/2024	EPA 200.7	lithium	< Minimum Reporting Level	9
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	24021465-01	2/13/2024	EPA 533	11Cl-PF3OUdS	< Minimum Reporting Level	0.005
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	24021465-01	2/13/2024	EPA 533	4:2 FTS	< Minimum Reporting Level	0.003
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	24021465-01	2/13/2024	EPA 533	6:2 FTS	< Minimum Reporting Level	0.005
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	24021465-01	2/13/2024	EPA 533	8:2 FTS	< Minimum Reporting Level	0.005
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	24021465-01	2/13/2024	EPA 533	9Cl-PF3ONS	< Minimum Reporting Level	0.002
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	24021465-01	2/13/2024	EPA 533	ADONA	< Minimum Reporting Level	0.003
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	24021465-01	2/13/2024	EPA 533	HFPO-DA	< Minimum Reporting Level	0.005
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	24021465-01	2/13/2024	EPA 533	NFDHA	< Minimum Reporting Level	0.02
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	24021465-01	2/13/2024	EPA 533	PFBA	< Minimum Reporting Level	0.005
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	24021465-01	2/13/2024	EPA 533	PFBS	< Minimum Reporting Level	0.003
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	24021465-01	2/13/2024	EPA 533	PFDA	< Minimum Reporting Level	0.003
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	24021465-01	2/13/2024	EPA 533	PFDoA	< Minimum Reporting Level	0.003
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	24021465-01	2/13/2024	EPA 533	PFEESA	< Minimum Reporting Level	0.003
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	24021465-01	2/13/2024	EPA 533	PFHpA	< Minimum Reporting Level	0.003
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	24021465-01	2/13/2024	EPA 533	PFHpS	< Minimum Reporting Level	0.003
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	24021465-01	2/13/2024	EPA 533	PFHxA	< Minimum Reporting Level	0.003
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	24021465-01	2/13/2024	EPA 533	PFHxS	< Minimum Reporting Level	0.003
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	24021465-01	2/13/2024	EPA 533	PFMBA	< Minimum Reporting Level	0.003
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	24021465-01	2/13/2024	EPA 533	PFMPA	< Minimum Reporting Level	0.004
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	24021465-01	2/13/2024	EPA 533	PFNA	< Minimum Reporting Level	0.004
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	24021465-01	2/13/2024	EPA 533	PFOA	< Minimum Reporting Level	0.004
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	24021465-01	2/13/2024	EPA 533	PFOS	< Minimum Reporting Level	0.004
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	24021465-01	2/13/2024	EPA 533	PFPeA	< Minimum Reporting Level	0.003
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	24021465-01	2/13/2024	EPA 533	PFPeS	< Minimum Reporting Level	0.004
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	24021465-01	2/13/2024	EPA 533	PFUnA	< Minimum Reporting Level	0.002
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	24021185-01	2/13/2024	EPA 537.1	NEtFOSAA	< Minimum Reporting Level	0.005
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	24021185-01	2/13/2024	EPA 537.1	NMeFOSAA	< Minimum Reporting Level	0.006
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	24021185-01	2/13/2024	EPA 537.1	PFTA	< Minimum Reporting Level	0.008
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	24021185-01	2/13/2024	EPA 537.1	PFTrDA	< Minimum Reporting Level	0.007
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAG0353-05	5/7/2024	EPA 200.7	lithium	< Minimum Reporting Level	9
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAG0353-01	5/7/2024	EPA 533	11Cl-PF3OUdS	< Minimum Reporting Level	0.005
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAG0353-01	5/7/2024	EPA 533	4:2 FTS	< Minimum Reporting Level	0.003
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAG0353-01	5/7/2024	EPA 533	6:2 FTS	< Minimum Reporting Level	0.005
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAG0353-01	5/7/2024	EPA 533	8:2 FTS	< Minimum Reporting Level	0.005
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAG0353-01	5/7/2024	EPA 533	9Cl-PF3ONS	< Minimum Reporting Level	0.002
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAG0353-01	5/7/2024	EPA 533	ADONA	< Minimum Reporting Level	0.003
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAG0353-01	5/7/2024	EPA 533	HFPO-DA	< Minimum Reporting Level	0.005
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAG0353-01	5/7/2024	EPA 533	NFDHA	< Minimum Reporting Level	0.02
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAG0353-01	5/7/2024	EPA 533	PFBA	< Minimum Reporting Level	0.005
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAG0353-01	5/7/2024	EPA 533	PFBS	< Minimum Reporting Level	0.003
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAG0353-01	5/7/2024	EPA 533	PFDA	< Minimum Reporting Level	0.003
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAG0353-01	5/7/2024	EPA 533	PFDoA	< Minimum Reporting Level	0.003
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAG0353-01	5/7/2024	EPA 533	PFEESA	< Minimum Reporting Level	0.003
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAG0353-01	5/7/2024	EPA 533	PFHpA	< Minimum Reporting Level	0.003
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAG0353-01	5/7/2024	EPA 533	PFHpS	< Minimum Reporting Level	0.003
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAG0353-01	5/7/2024	EPA 533	PFHxA	< Minimum Reporting Level	0.003
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAG0353-01	5/7/2024	EPA 533	PFHxS	< Minimum Reporting Level	0.003
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAG0353-01	5/7/2024	EPA 533	PFMBA	< Minimum Reporting Level	0.003
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAG0353-01	5/7/2024	EPA 533	PFMPA	< Minimum Reporting Level	0.004
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAG0353-01	5/7/2024	EPA 533	PFNA	< Minimum Reporting Level	0.004
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAG0353-01	5/7/2024	EPA 533	PFOA	< Minimum Reporting Level	0.004
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAG0353-01	5/7/2024	EPA 533	PFOS	< Minimum Reporting Level	0.004
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAG0353-01	5/7/2024	EPA 533	PFPeA	< Minimum Reporting Level	0.003
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAG0353-01	5/7/2024	EPA 533	PFPeS	< Minimum Reporting Level	0.004
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAG0353-01	5/7/2024	EPA 533	PFUnA	< Minimum Reporting Level	0.002
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAG0353-03	5/7/2024	EPA 537.1	NEtFOSAA	< Minimum Reporting Level	0.005
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAG0353-03	5/7/2024	EPA 537.1	NMeFOSAA	< Minimum Reporting Level	0.006
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAG0353-03	5/7/2024	EPA 537.1	PFTA	< Minimum Reporting Level	0.008
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAG0353-03	5/7/2024	EPA 537.1	PFTrDA	< Minimum Reporting Level	0.007
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAH0332-05	8/13/2024	EPA 200.7	lithium	< Minimum Reporting Level	9
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAH0332-01	8/13/2024	EPA 533	11Cl-PF3OUdS	< Minimum Reporting Level	0.005
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAH0332-01	8/13/2024	EPA 533	4:2 FTS	< Minimum Reporting Level	0.003
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAH0332-01	8/13/2024	EPA 533	6:2 FTS	< Minimum Reporting Level	0.005
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAH0332-01	8/13/2024	EPA 533	8:2 FTS	< Minimum Reporting Level	0.005
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAH0332-01	8/13/2024	EPA 533	9Cl-PF3ONS	< Minimum Reporting Level	0.002
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAH0332-01	8/13/2024	EPA 533	ADONA	< Minimum Reporting Level	0.003
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAH0332-01	8/13/2024	EPA 533	HFPO-DA	< Minimum Reporting Level	0.005
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAH0332-01	8/13/2024	EPA 533	NFDHA	< Minimum Reporting Level	0.02
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAH0332-01	8/13/2024	EPA 533	PFBA	< Minimum Reporting Level	0.005
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAH0332-01	8/13/2024	EPA 533	PFBS	< Minimum Reporting Level	0.003
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAH0332-01	8/13/2024	EPA 533	PFDA	< Minimum Reporting Level	0.003
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAH0332-01	8/13/2024	EPA 533	PFDoA	< Minimum Reporting Level	0.003
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAH0332-01	8/13/2024	EPA 533	PFEESA	< Minimum Reporting Level	0.003
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAH0332-01	8/13/2024	EPA 533	PFHpA	< Minimum Reporting Level	0.003
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAH0332-01	8/13/2024	EPA 533	PFHpS	< Minimum Reporting Level	0.003
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAH0332-01	8/13/2024	EPA 533	PFHxA	< Minimum Reporting Level	0.003
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAH0332-01	8/13/2024	EPA 533	PFHxS	< Minimum Reporting Level	0.003
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAH0332-01	8/13/2024	EPA 533	PFMBA	< Minimum Reporting Level	0.003
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAH0332-01	8/13/2024	EPA 533	PFMPA	< Minimum Reporting Level	0.004
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAH0332-01	8/13/2024	EPA 533	PFNA	< Minimum Reporting Level	0.004
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAH0332-01	8/13/2024	EPA 533	PFOA	< Minimum Reporting Level	0.004
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAH0332-01	8/13/2024	EPA 533	PFOS	< Minimum Reporting Level	0.004
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAH0332-01	8/13/2024	EPA 533	PFPeA	< Minimum Reporting Level	0.003
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAH0332-01	8/13/2024	EPA 533	PFPeS	< Minimum Reporting Level	0.004
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAH0332-01	8/13/2024	EPA 533	PFUnA	< Minimum Reporting Level	0.002
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAH0332-03	8/13/2024	EPA 537.1	NEtFOSAA	< Minimum Reporting Level	0.005
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAH0332-03	8/13/2024	EPA 537.1	NMeFOSAA	< Minimum Reporting Level	0.006
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAH0332-03	8/13/2024	EPA 537.1	PFTA	< Minimum Reporting Level	0.008
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAH0332-03	8/13/2024	EPA 537.1	PFTrDA	< Minimum Reporting Level	0.007

IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAK0172-05	11/5/2024	EPA 200.7	lithium	< Minimum Reporting Level	9
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAK0172-01	11/5/2024	EPA 533	11Cl-PF3OUdS	< Minimum Reporting Level	0.005
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAK0172-01	11/5/2024	EPA 533	4:2 FTS	< Minimum Reporting Level	0.003
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAK0172-01	11/5/2024	EPA 533	6:2 FTS	< Minimum Reporting Level	0.005
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAK0172-01	11/5/2024	EPA 533	8:2 FTS	< Minimum Reporting Level	0.005
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAK0172-01	11/5/2024	EPA 533	9Cl-PF3ONS	< Minimum Reporting Level	0.002
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAK0172-01	11/5/2024	EPA 533	ADONA	< Minimum Reporting Level	0.003
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAK0172-01	11/5/2024	EPA 533	HFPO-DA	< Minimum Reporting Level	0.005
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAK0172-01	11/5/2024	EPA 533	NFDHA	< Minimum Reporting Level	0.02
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAK0172-01	11/5/2024	EPA 533	PFBA	< Minimum Reporting Level	0.005
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAK0172-01	11/5/2024	EPA 533	PFBS	< Minimum Reporting Level	0.003
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAK0172-01	11/5/2024	EPA 533	PFDA	< Minimum Reporting Level	0.003
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAK0172-01	11/5/2024	EPA 533	PFDoA	< Minimum Reporting Level	0.003
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAK0172-01	11/5/2024	EPA 533	PFEESA	< Minimum Reporting Level	0.003
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAK0172-01	11/5/2024	EPA 533	PFHpA	< Minimum Reporting Level	0.003
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAK0172-01	11/5/2024	EPA 533	PFHpS	< Minimum Reporting Level	0.003
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAK0172-01	11/5/2024	EPA 533	PFHxA	< Minimum Reporting Level	0.003
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAK0172-01	11/5/2024	EPA 533	PFHxS	< Minimum Reporting Level	0.003
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAK0172-01	11/5/2024	EPA 533	PFMBA	< Minimum Reporting Level	0.003
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAK0172-01	11/5/2024	EPA 533	PFMPA	< Minimum Reporting Level	0.004
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAK0172-01	11/5/2024	EPA 533	PFNA	< Minimum Reporting Level	0.004
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAK0172-01	11/5/2024	EPA 533	PFOA	< Minimum Reporting Level	0.004
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAK0172-01	11/5/2024	EPA 533	PFOS	< Minimum Reporting Level	0.004
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAK0172-01	11/5/2024	EPA 533	PFPeA	< Minimum Reporting Level	0.003
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAK0172-01	11/5/2024	EPA 533	PFPeS	< Minimum Reporting Level	0.004
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAK0172-01	11/5/2024	EPA 533	PFUnA	< Minimum Reporting Level	0.002
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAK0172-03	11/5/2024	EPA 537.1	NEtFOSAA	< Minimum Reporting Level	0.005
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAK0172-03	11/5/2024	EPA 537.1	NMeFOSAA	< Minimum Reporting Level	0.006
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAK0172-03	11/5/2024	EPA 537.1	PFTA	< Minimum Reporting Level	0.008
IL0312370	PALOS HEIGHTS	Alsip interconnection (Chicago-Jardine WTP)	AAK0172-03	11/5/2024	EPA 537.1	PFTrDA	< Minimum Reporting Level	0.007